

No. P02101629

Order No. 200233135

Applicant Joti Isoterm AS  
Frya Industriområde  
2630 RINGEBU  
NORWAY

Manufacturer Joti Isoterm AS  
Frya  
2630 RINGEBU  
NORWAY

Factory Joti Isoterm A/S  
Frya  
2630 RINGEBU  
NORWAY

Group 18 79800 Heating cables in special performance

Model/type ISOTERMØR

Data 15-75m, 32/60, 40/70, 50/80 or 63/100, 230V


Other specification Corrugated outer pipe with diameter 60,70,80 or 100mm, nylon leading cord, aluminium foil, non-standardized heating cable made by Nexans or NEK/CDT, waterpipe with diameter 32,40,50 or 65mm. Connection to fixed installation is made by a 2 step switch type CA20 made by Krauss & Naimer

The above product is certified according to the following standard(s) Safety std.: NEK-IEC 60800 :92, 20B(Central Office)121:90  
IEC 61423-1:95 and IEC 61423-2:95

Validity This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.  
New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

Variants This Certificate also covers variants with Position No. from 001 to 002  
See next page(s)

Date of issue 20 August 2002



signature


Ragnar Køltzow

Head of section



signature

Pål K. Pedersen



L. Roy Martinsen  
nemko.com

No. P02101629

Order No. 200233135

Group 18 79800  
Position No  
Model/type  
Data  
Other specification

Heating cables in special performance  
001

ISOTERMØR

60-300m, 32/60, 40/70, 50/80 or 63/100mm, 230V

Corrugated outer pipe with diameter 60,70,80 or 100mm, nylon leading cord, aluminium foil, non-standardized heating cable made by Nexans or NEK/CDT, waterpipe with diameter 32,40,50 or 65mm. Connection to fixed installation is made by a 2 step switch type CA20 or CA32 made by Krauss & Naimer

Position No  
Model/type  
Data  
Other specification

002

ISOTERMØR

300-600m, 32/60, 40/70, 50/80 or 63/100mm, 230V

Corrugated outer pipe with diameter 60,70,80 or 100mm, nylon leading cord, aluminium foil, non-standardized heating cable made by Nexans, waterpipe with diameter 32,40,50 or 65mm. Connection to fixed installation is made by a 2 step switch type CA32 or 42 made by Krauss & Naimer

Date of issue 20 August 2002

  
signature

Ragnar Køltzow

Head of section



signature

Pål K. Pedersen